Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(light adj emitting and power adj source and electric adj current adj adjust).clm.	US-PGPUB; USPAT	OR	ON	2007/07/20 09:51
L2	1	(light adj emit\$5 and power adj source and electric adj current\$1 adj adjust\$4).clm.	US-PGPUB; USPAT	OR	ON	2007/07/20 10:02
L3	0	((OLED or LED) and power adj source and electric adj current\$1 adj adjust\$4).clm.	US-PGPUB; USPAT	OR	ON	2007/07/20 10:03
L4	0	((OLED or LED) and power adj source and electric adj current\$1 adj varia\$4).clm.	US-PGPUB; USPAT	OR	ON	2007/07/20 10:04
L5	1139	(345/82).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L6	0	("(OLED\$1orEL)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L7	0	(OLED\$1orEL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L8	814153	OLED\$1 or EL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L9	0	digital with transistor with linear with (adjastable or adjastment\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08

	<del></del> -		Т			
L10	355	digital with transistor with linear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L11	16	L8 AND L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/20 10:08
L12	948527	transistor\$2 or TFT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L13	948146	transistor or TFT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L14	56033	L13 AND L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L15	378	L5 AND L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L16	194	(345/80).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L17	814153	OLED\$1 or EL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08

					1	
L18	120	L16 AND L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L19	194	(345/80).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L20	348	(345/83).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L21	1	transister\$2 same linear same digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L22	31	transister\$2 same linear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L23	219480	digital same drive\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L24	814153	OLED\$1 or EL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L25	10894	L23 AND L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08

L26	194326	current with adjust\$4	US-PGPUB;	OR	OFF	2007/07/20 10:08
	194320	Current with aujust\$+	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK .		2007/07/20 10:00
L27	1180	L25 AND L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L28	66527	pixel\$1 with circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L29	346	L27 AND L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L30	43	"6246180"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L31	482394	current with (adjust\$4 change\$2 modif\$2 alter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L32	948527	transistor\$2 or TFT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L33	814153	OLED\$1 or EL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08

L34	9375	L31 AND L33 AND L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L35	3742	digital with drive\$2 same linear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/07/20 10:08
L36	79	L34 AND L35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L37	14	2002/0047120	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L38	14	09/840584	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L39	482394	current with (adjust\$4 change\$2 modif\$2 alter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L40	948527	transistor\$2 or TFT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L41	814153	OLED\$1 or EL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08

L42	9375	L39 AND L41 AND L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L43	9375	L42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 10:08
L44	4150	transistor\$2 same linear same mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L45	218	L43 And L44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L46	86	(OLED\$2) AND ((Adjust\$4 or adaptable or variable or changeable or adaptive) same (transistor\$2 or TFT)) AND (345/82 or 345/83).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L47	59	(OLED\$2) AND ((Adjust\$4 or adaptable or variable or changeable or adaptive) with (transistor\$2 or TFT)) AND (345/82 or 345/83).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L48	565	(OLED\$2) AND ((Adjust\$4 or adaptable or variable or changeable or adaptive) with (transistor\$2 or TFT))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L49	4	(OLED\$2) AND ((Adjust\$4 or adaptable or variable or changeable or adaptive) with (transistor\$2 or TFT) same (linear AND series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08

		•				
L50	12	(OLED\$2) AND ((Adjust\$4 or adaptable or variable or changeable or adaptive) with (transistor\$2 or TFT) same (linear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L51	973	(OLED\$2) AND ((Adjust\$4 or adaptable or variable or changeable or adaptive) same (transistor\$2 or TFT))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L52	15	(OLED\$2) AND ((Adjust\$4 or adaptable or variable or changeable or adaptive) with (transistor\$2 or TFT) same (linear\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L53	211	(OLED\$2) AND ((Adjust\$4 or adaptable or variable or changeable or adaptive) with (transistor\$2 or TFT) AND (linear\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
L54	211	(OLED\$2) AND ((Adjust\$4 or adaptable or variable or changeable or adaptive) with (transistor\$2 or TFT) ) AND (linear\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 10:08
S1	1034	(345/82).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/20 09:50

Page 7